

# PLAN DE FORMACIÓN PARA MÉDICOS DE BALONCESTO

## Respuesta autoevaluación Módulo 1 2018



Comisión de la Salud y Prevención del Dopaje



# Respuestas Autoevaluación

PREGUNTAS	SI	NO	OBSERVACIONES
Puede tomar una jugadora/o Tamoxifeno?		X	Precisa AUT previa
Si un jugador tiene una reacción alérgica severa le administrarías Urbasón IM ( dosis única)	Si		Precisa AUT con efecto retroactivo ( justificar la situación de emergencia)
Si un jugador/a tiene gripe o congestión nasal los días previos al partido le prescribirías Frenadol Descongestivo ?		No	Lleva Pseudoefedrina , prohibida en competición y no se debe tomar en las 48 horas previas a una competición , ni en dosis no terapéuticas

# Autoevaluación

PREGUNTAS	SI	NO	OBSERVACIONES
Si a una jugadora le ha prescrito el neumólogo Bromuro de Tiotropio por vía inhalada, se la prescribirías tu?	Si		
Si a un jugador le han prescrito Finasteride oral para la alopecia , se lo recetarías	Si		
Si a un jugador-a le han prescrito para hipertensión Indapamida, se lo prescribirías?		No	Esta prohibido en y fuera de competición Precisa una AUT previa a usarlo

Ver diapositivas 5

Contesta las preguntas y comprueba las respuestas en la pagina web de la FEB.


<http://www.feb.es/antidopaje.aspx>

Si tienes alguna duda , envíala al [murenad@feb.es](mailto:murenad@feb.es)

Comisión de la Salud y Prevención del Dopaje

# Aclaraciones pregunta 1,2 y 3

## TAMOXIFENO



### Ingredient Status

**Tamoxifen**

Other Names  
Tamoxifen citrate

Route of Administration	In Competition	Out of Competition
Route Independent *	<b>✗ Prohibited</b>	<b>✗ Prohibited</b>

\* The intravenous (IV) infusion and/or injection of more than 100mL per 12 hour period of any substance is a prohibited method, even if the substance itself is not prohibited, unless it is received while being treated at the hospital, during surgery, or during clinical diagnostic investigations. Read More.


**WADA Classification(s)**

Hormone and Metabolic Modulators (S4)

**Search Details**

Reference # 05180005947	Nation of Purchase Australia
Sport Basketball	Search Date Mon, 15 Jan 2018 18:32:04 UTC

## METILPREDNISOLONA



### Ingredient Status

**Methylprednisolone**

Other Names  
Methylprednisolone aceponate; Methylprednisolone acetate; Methylprednisolone sodium succinate


Route of Administration	In Competition	Out of Competition
Oral *	<b>✗ Prohibited</b>	<b>✓ Not Prohibited</b>
Injection - Intra-muscular *	<b>✗ Prohibited</b>	<b>✓ Not Prohibited</b>
Injection - Intravenous * 50mL or less per 6 hours	<b>✗ Prohibited</b>	<b>✓ Not Prohibited</b>
Injection - Local or Intra-Articular *	<b>✓ Not Prohibited</b>	<b>✓ Not Prohibited</b>
Topical (dermatological) *	<b>✓ Not Prohibited</b>	<b>✓ Not Prohibited</b>
Rectal *	<b>✗ Prohibited</b>	<b>✓ Not Prohibited</b>

\* The intravenous (IV) infusion and/or injection of more than 100mL per 12 hour period of any substance is a prohibited method, even if the substance itself is not prohibited, unless it is received while being treated at the hospital, during surgery, or during clinical diagnostic investigations. Read More.

**WADA Classification(s)**

Glucocorticoids (S9)

## PSEUDOEFEDRINA



### Ingredient Status

**Pseudoephedrine**

Other Names  
Pseudoephedrine hydrochloride; PSEUDOEPHEDRINE SULFATE; Pseudoephedrine tannate

Route of Administration	In Competition	Out of Competition
Route Independent *	<b>✗ Prohibited</b>	<b>✓ Not Prohibited</b>

\* The intravenous (IV) infusion and/or injection of more than 100mL per 12 hour period of any substance is a prohibited method, even if the substance itself is not prohibited, unless it is received while being treated at the hospital, during surgery, or during clinical diagnostic investigations. Read More.

**Additional Information**

⚠ Pseudoephedrine is prohibited when the urinary concentration exceeds 150 microgram/mL. Further information can be found from WADA :  
[https://www.wada-ama.org/sites/default/files/resources/files/WADA\\_Additional\\_Info\\_Pseudoephedrine\\_2010\\_EN.pdf](https://www.wada-ama.org/sites/default/files/resources/files/WADA_Additional_Info_Pseudoephedrine_2010_EN.pdf)  
This threshold is not valid if you are using any substances in the category of diuretics and masking agents. In this case, you must have a Therapeutic Use Exemption for both the diuretic/masking agent and pseudoephedrine.

**WADA Classification(s)**

Stimulants (S6)

**Search Details**

# Aclaraciones pregunta 4,5 y 6

## TIOTROPIO

## FINASTERIDE

## INDAPAMIDA



### Ingredient Status

#### Tiotropium

Other Names  
Tiotropium bromide; Tiotropium bromide monohydrate

#### Status

Route of Administration	In Competition	Out of Competition
Route Independent *	✓ Not Prohibited	✓ Not Prohibited

\* The intravenous (IV) infusion and/or injection of more than 100mL per 12 hour period of any substance is a prohibited method, even if the substance itself is not prohibited, unless it is received while being treated at the hospital, during surgery, or during clinical diagnostic investigations. Read More.

#### WADA Classification(s)

No Classification (NA)

#### Search Details

Reference # 05180005945	Nation of Purchase Australia
Sport Basketball	Search Date Mon, 15 Jan 2018 18:31:00 UTC



### Ingredient Status

#### Finasteride

#### Status

Route of Administration	In Competition	Out of Competition
Route Independent *	✓ Not Prohibited	✓ Not Prohibited

\* The intravenous (IV) infusion and/or injection of more than 100mL per 12 hour period of any substance is a prohibited method, even if the substance itself is not prohibited, unless it is received while being treated at the hospital, during surgery, or during clinical diagnostic investigations. Read More.

#### WADA Classification(s)

No Classification (NA)

#### Search Details

Reference # 05180005949	Nation of Purchase Australia
Sport Basketball	Search Date Mon, 15 Jan 2018 18:33:12 UTC



### Ingredient Status

#### Indapamide

Other Names  
Indapamide hemihydrate

#### Status

Route of Administration	In Competition	Out of Competition
Route Independent *	✗ Prohibited	✗ Prohibited

\* The intravenous (IV) infusion and/or injection of more than 100mL per 12 hour period of any substance is a prohibited method, even if the substance itself is not prohibited, unless it is received while being treated at the hospital, during surgery, or during clinical diagnostic investigations. Read More.

#### Additional Information ⓘ

The use of any substance subject to threshold limits (i.e. formoterol, salbutamol, cathine, ephedrine, methylephedrine, and pseudoephedrine) in conjunction with a diuretic or other masking agent requires a Therapeutic Use Exemption for the threshold substance AND the diuretic or masking agent.

#### WADA Classification(s)

Diuretics and Masking Agents (S5)

#### Search Details