

PLAN DE FORMACIÓN EN PREVENCIÓN EN MATERIA ANTI DOPAJE PARA MÉDICOS DE BALONCESTO



Modulo 1

Comisión de la Salud y Prevención del Dopaje



FEB

FEDERACIÓN
ESPAÑOLA DE
BALONCESTO

Respuestas a autoevaluación

PREGUNTAS	SI	NO	OBSERVACIONES
¿Puede tomar una jugadora anticonceptivos orales?	SI		No están prohibidos
Si una jugador tiene una reacción alérgica severa le administrarías Urbasón IM (dosis única)	SI		Precisa AUT con efecto retroactivo (justificar la situación de emergencia) Aunque sea fuera de competición
Si un lunes un jugador tiene congestión nasal o le prescribirías Frenadol Descongestivo ? ¿Hasta cuando, si el partido es el sábado?	NO		Lleva Pseudoefedrina , prohibida en competición y no se debe tomar en las 72 horas previas a una competición , ni en dosis no terapéuticas

Contesta las preguntas y comprueba las respuestas en la pagina web de la FEB.

<http://www.feb.es/antidopaje.aspx>

Si tienes alguna duda , envíala al murenad@feb.es



Respuestas a autoevaluación

PREGUNTAS	SI	N O	OBSERVACIONES
Si a una jugadora le ha prescrito el neumólogo Budesonida por vía inhalada, se la prescribirías tu?	SI		Los GC por vía inhalada no están prohibidos
Si a un jugador le han prescrito Finasteride oral para la alopecia , se lo recetarías	Si		No esta prohibido
A una jugadora con GEA severa le administran suero IV en el hospital el miércoles, el sábado podría jugar si está bien? Precisaría solicitar UNA AUT?	SI		Estan prohibidas Las inyecciones y/o perfusiones intravenosas de más de 100 mililitros en total por intervalo de 12 horas, excepto las recibidas legítimamente en el transcurso de tratamientos hospitalarios, procedimientos quirúrgicos o revisiones clínicas de diagnóstico.

Contesta las preguntas y comprueba las respuestas en la pagina web de la FEB.


<http://www.feb.es/antidopaje.aspx>

Si tienes alguna duda , envíala al murenad@feb.es



Aclaraciones preguntas 2, 3 Y 4

METILPREDNISOLONA (2 y 4)



Ingredient Status

Methylprednisolone

Other Names
Methylprednisolone aceponate; Methylprednisolone acetate; Methylprednisolone sodium succinate

Status	In Competition	Out of Competition
Route of Administration		
Oral *	✗ Prohibited	✓ Not Prohibited
Injection - Intra-muscular *	✗ Prohibited	✓ Not Prohibited
Injection - Intravenous * 50mL or less per 6 hours	✗ Prohibited	✓ Not Prohibited
Injection - Local or Intra-Articular *	✓ Not Prohibited	✓ Not Prohibited
Topical (dermatological) *	✓ Not Prohibited	✓ Not Prohibited
Rectal *	✗ Prohibited	✓ Not Prohibited

* The intravenous (IV) infusion and/or injection of more than 100mL per 12 hour period of any substance is a prohibited method, even if the substance itself is not prohibited, unless it is received while being treated at the hospital, during surgery, or during clinical diagnostic investigations. Read More.

WADA Classification(s)

Glucocorticoids (S9)

PSEUDOEFEDRINA (3)



Ingredient Status

Pseudoephedrine

Other Names
Pseudoephedrine hydrochloride; PSEUDOEPHEDRINE SULFATE; Pseudoephedrine tannate

Status	In Competition	Out of Competition
Route of Administration		
Route Independent *	✗ Prohibited	✓ Not Prohibited

* The intravenous (IV) infusion and/or injection of more than 100mL per 12 hour period of any substance is a prohibited method, even if the substance itself is not prohibited, unless it is received while being treated at the hospital, during surgery, or during clinical diagnostic investigations. Read More.

Additional Information ⓘ

⚠ Pseudoephedrine is prohibited when the urinary concentration exceeds 150 microgram/mL. Further information can be found from WADA :
https://www.wada-ama.org/sites/default/files/resources/files/WADA_Additional_Info_Pseudoephedrine_2010_EN.pdf
This threshold is not valid if you are using any substances in the category of diuretics and masking agents. In this case, you must have a Therapeutic Use Exemption for both the diuretic/masking agent and pseudoephedrine.

WADA Classification(s)

Stimulants (S6)

Search Details

Aclaraciones pregunta 5 Y 6

FINASTERIDE

Ingredient Status
Finasteride

Status

Route of Administration	In Competition	Out of Competition
Route Independent *	✓ Not Prohibited	✓ Not Prohibited

* The intravenous (IV) infusion and/or injection of more than 100mL per 12 hour period of any substance is a prohibited method, even if the substance itself is not prohibited, unless it is received while being treated at the hospital, during surgery, or during clinical diagnostic investigations. Read More.

WADA Classification(s)
No Classification (N/A)

Search Details

Reference # 05180005949	Nation of Purchase Australia
Sport Basketball	Search Date Mon, 15 Jan 2018 18:33:12 UTC

Requirements for a TUE when the infusion is not given during a hospital admission, surgical procedure or clinical investigation	
Prohibited Method: IV infusion of >100 ml/12 h Prohibited substance: Insulin Need a TUE for method Need a TUE for substance	Permitted Method: IV infusion of <100 ml/12 h Prohibited substance: Insulin Need a TUE for substance
Prohibited Method: IV infusion of >100 ml/12 h Permitted substance: Glucose/saline Need a TUE for method	Permitted Method: IV infusion of <100 ml/12 h Permitted substance: Liquid iron NO TUE

